

136A

Sent to DPA for
data entry 5/10/94

~~File~~
Lynn
File

ATTACHMENT I - RFA APPROVAL FORM

Facility Name Ashland Chemical (Olin Water Services)
Facility Location K.C., KS Fairfax Dist. CA050 = 03/16/92
ID Number KSD 000203638
Date RFA Approved 3/16/92

Is RFI needed? ☒ Y ☐ N
Can CMS be imposed now? ☐ Y ☒ N
Are IM needed? ☐ Y ☒ N (?)

Number of SWMUs requiring action 1 SWMU (Sump Vat) AOC (contaminated Soil and Gw)

Priority for Corrective Action
(Circle One) 1 2 3 ☒ 4 5 6 7 8 9 10
Industrial Area but some water under wells in the area

Low----->Medium----->High
(Low Exposure Potential) (Potential Exposure) (Actual Exposure)

Choice of oversight strategy (based on severity of environmental harm, characteristics of owner/operator, and level of concern) (see CAOS for more information).

- ☐ Voluntary: without a permit or order
- ☐ Quasi-Voluntary: minimal oversight, no EPA plan approvals
- ☒ Briefing/Audit: limited oversight, progress briefings only
- ☐ Hybrid: more oversight, plan reviews, site visits
- ☐ Full: intensive oversight, all plans reviewed, regular site visits

Janet H. -
12 RFA items for
RCRIS entry, then
send to file

Signature Mark Matthews
Date 3/16/92

Barcode
R00011209
RCRA Records Center